


承認図

様




ダイヤケミカル株式会社
栃木県小山市城北2丁目2-1



ビーズ法ポリスチレンフォーム保温筒 承認図

※ 品質及び公差はJIS A 9511による。



サイズ			内径(mm)	厚さ(mm)
12.7 φ	×	25	13	25
12.7 φ	×	30	13	30
12.7 φ	×	40	13	40
12.7 φ	×	50	13	50
12.7 φ	×	75	13	75
15.88 φ	×	20	16	20
15.88 φ	×	25	16	25
15.88 φ	×	30	16	30
15.88 φ	×	40	16	40
15.88 φ	×	50	16	50
15.88 φ	×	75	16	75
19.05 φ	×	25	19	25
19.05 φ	×	30	19	30
19.05 φ	×	40	19	40
19.05 φ	×	50	19	50
19.05 φ	×	75	19	75
22.22 φ	×	20	22	20
22.22 φ	×	25	22	25
22.22 φ	×	30	22	30
22.22 φ	×	40	22	40
22.22 φ	×	50	22	50
22.22 φ	×	75	22	75
25.4 φ	×	25	25	25
25.4 φ	×	30	25	30
25.4 φ	×	40	25	40
25.4 φ	×	50	25	50
25.4 φ	×	75	25	75

サイズ			内径(mm)	厚さ(mm)
28.58 φ	×	20	29	20
28.58 φ	×	25	29	25
28.58 φ	×	30	29	30
28.58 φ	×	40	29	40
28.58 φ	×	50	29	50
28.58 φ	×	75	29	75
31.75 φ	×	25	32	25
31.75 φ	×	30	32	30
31.75 φ	×	40	32	40
31.75 φ	×	50	32	50
31.75 φ	×	75	32	75
34.92 φ	×	30	35	30
34.92 φ	×	40	35	40
34.92 φ	×	50	35	50
34.92 φ	×	75	35	75
38.1 φ	×	20	38	20
38.1 φ	×	25	38	25
38.1 φ	×	30	38	30
38.1 φ	×	40	38	40
38.1 φ	×	50	38	50
38.1 φ	×	75	38	75
41.28 φ	×	30	41	30
41.28 φ	×	40	41	40
41.28 φ	×	50	41	50
41.28 φ	×	75	41	75

サイズ			内径(mm)	厚さ(mm)
44.45 ϕ	×	30	44	30
44.45 ϕ	×	40	44	40
44.45 ϕ	×	50	44	50
44.45 ϕ	×	75	44	75
50.8 ϕ	×	30	51	30
50.8 ϕ	×	40	51	40
50.8 ϕ	×	50	51	50
50.8 ϕ	×	75	51	75
53.98 ϕ	×	30	54	30
53.98 ϕ	×	40	54	40
53.98 ϕ	×	50	54	50
53.98 ϕ	×	75	54	75
63.5 ϕ	×	30	64	30
63.5 ϕ	×	40	64	40
63.5 ϕ	×	50	64	50
63.5 ϕ	×	75	64	75
66.68 ϕ	×	30	67	30
66.68 ϕ	×	40	67	40
66.68 ϕ	×	50	67	50
66.68 ϕ	×	75	67	75

サイズ		内径(mm)	厚さ(mm)